



ENVIROCHECK

Recognised by MoEF&CC, WBPCB, JSPCB & OSPCB
 Accredited by NABL (ISO/IEC 17025:2017)
 Certified by ISO 9001:2015, ISO 14001:2015 & OHSAS 18001:2007



TEST REPORT

FORMAT NO.: ENV/FM/37

Name of the Industry	: Himadri Speciality Chemical Ltd. (Mahistikry)	Type of Industry	: Chemical Plant		
Address	: P.O. & P.S. – Haripal, Hooghly – 712323	Sampling Date	: 09.06.2020 – 10.06.2020		
		Period of Analysis	: 11.06.2020 – 11.06.2020		
		Date of Issue	: 13.06.2020		
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No	Type of Sample	: Ambient Air
Sample ID No.	: ENV/11/June/A/III	Report No.	: ENV/11/June/TR(A)/III/19-20		

A] GENERAL INFORMATION

1. Location of Sampling : West Side of the Plant (Near Road Side)
2. Duration of Sampling : 24 hrs. (09:00 a.m. – 09:00 a.m.)

B] METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 30.0
2. Average Relative Humidity (%) : 72.0
3. Smell or Odour : No Remarkable Smell
4. Weather Condition : Clear sky

C] RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS	LIMIT
1.	Concentration of PM _{2.5}	µg/m ³	USEPA 1997a, 40 CFR Part 50, Appendix L	52.12	60.0
2.	Concentration of PM ₁₀	µg/m ³	IS 5182 (PART 23) : 2006	81.19	100.0
3.	Concentration of SO ₂	µg/m ³	IS 5182 (Part 2) 2001 & ASTM D 2914-01 reapproved 2007: Sec. 11 (Vol. 11.07) : 2011	7.26	80.0
4.	Concentration of NO ₂	µg/m ³	IS 5182 (Part 6) 2006 & ASTM D 1607-91 reapproved 2005 : Sec. 11 (Vol. 11.07) : 2011	26.46	80.0
5.	Concentration of CO	mg/m ³	IS 5182 (Part 10): 1999 reaffirmed 2005 & ASTM D 3162-94 reapproved 2005 : Sec 11 (Vol. 11.07) : 2011	<0.1	2.0
6.	Concentration of Pb	µg/m ³	IS 5182 (Part 22) 2004	<0.01	1.0
7.	Benzo (a) Pyrene (BaP)	ng/m ³	IS 5182 (Part 12) : 2004 & ASTM D 6209-98 reapproved 2004 : Sec 11 (Vol. 11.07) : 2011	<0.36	1.0
8.	Benzene (C ₆ H ₆)	µg/m ³	IS 5182 (Part 11) 2006 & ASTM D 5466-01 reapproved 2007 : Sec 11 (Vol. 11.07) : 2011	<0.74	5.0
9.	Ozone (O ₃)	µg/m ³	IS 5182 (Part-IX) : 1974	<10.0	100.0
10.	Ammonia (NH ₃)	µg/m ³	NIOSH Manual of Analytical Method, 4 th Edition 1994, Method 6015, issue 2	<4.18	400.0
11.	Nickel (Ni)	ng/m ³	EPA IO 3.2, 1999	<0.02	20.0
12.	Arsenic (As)	ng/m ³	EPA IO 3.2, 1999, APHA 23 rd Ed 3114C : 2017	<0.01	6.0

Remarks : Result shows that all parameters are within limit as per National Ambient Air Quality Standards Central Pollution Control Board Notification, New Delhi, the 18th November, 2009.
 : Detection limit as per NABL Scope of Envirocheck for CO (<0.1), Pb (<0.01), BaP (<0.36), Benzene (<0.74), Ozone (<10.0), Ammonia (<4.18), Nickel (<0.02) and Asenic (<0.01) are indicates that this parameters are Not Detected from Tested sample.

Reviewed By :

(Durbadal Chakraborty, Dy. Quality Manager)

Approved By :

(Dr. Ajoy Paul, Quality Manager)

H.O. : 63/B, Rastraguru Avenue, Kolkata - 700028 ■ Ph. 033 25792891 / 25497490 ■ Fax : 033 25299141
 Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata - 700028 ■ Ph. 033 25792889
 E-mail : envcheck@cal2.vsnl.net.in/envirocheck50@gmail.com ■ Website : www.envirocheck.org
 Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi
 Overseas : UAE ■ Qatar ■ Netherlands



ENVIROCHECK

Recognised by MoEF&CC, WBPCB, JSPCB & OSPCB
Accredited by NABL (ISO/IEC 17025:2017)
Certified by ISO 9001:2015, ISO 14001:2015 & OHSAS 18001:2007



TEST REPORT

FORMAT NO.: ENV/FM/37

Name of the Industry	: Himadri Speciality Chemical Ltd. (Mahistikry)	Type of Industry	: Chemical Plant		
Address	: P.O. & P.S. – Haripal, Hooghly – 712323	Sampling Date	: 09.06.2020 – 10.06.2020		
		Period of Analysis	: 11.06.2020 – 11.06.2020		
		Date of Issue	: 13.06.2020		
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No	Type of Sample	: Ambient Air
Sample ID No.	: ENV/11/June/A/IV	Report No.	: ENV/11/June/TR(A)/IV/19-20		

A) GENERAL INFORMATION

1. Location of Sampling : South Side of the Plant (Near Village Road Side)
2. Duration of Sampling : 24 hrs. (09:30 a.m. – 09:30 a.m.)

B) METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 30.0
2. Average Relative Humidity (%) : 72.0
3. Smell or Odour : No Remarkable Smell
4. Weather Condition : Clear sky

C) RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS	LIMIT
1.	Concentration of PM _{2.5}	µg/m ³	USEPA 1997a, 40 CFR Part 50, Appendix L	51.31	60.0
2.	Concentration of PM ₁₀	µg/m ³	IS 5182 (PART 23) : 2006	83.13	100.0
3.	Concentration of SO ₂	µg/m ³	IS 5182 (Part 2) 2001 & ASTM D 2914-01 reapproved 2007: Sec. 11 (Vol. 11.07) : 2011	6.58	80.0
4.	Concentration of NO ₂	µg/m ³	IS 5182 (Part 6) 2006 & ASTM D 1607-91 reapproved 2005 : Sec. 11 (Vol. 11.07) : 2011	27.96	80.0
5.	Concentration of CO	mg/m ³	IS 5182 (Part 10): 1999 reaffirmed 2005 & ASTM D 3162-94 reapproved 2005 : Sec 11 (Vol. 11.07) : 2011	<0.1	2.0
6.	Concentration of Pb	µg/m ³	IS 5182 (Part 22) 2004	<0.01	1.0
7.	Benzo (a) Pyrene (BaP)	ng/m ³	IS 5182 (Part 12) : 2004 & ASTM D 6209-98 reapproved 2004 : Sec 11 (Vol. 11.07) : 2011	<0.36	1.0
8.	Benzene (C ₆ H ₆)	µg/m ³	IS 5182 (Part 11) 2006 & ASTM D 5466-01 reapproved 2007 : Sec 11 (Vol. 11.07) : 2011	<0.74	5.0
9.	Ozone (O ₃)	µg/m ³	IS 5182 (Part-IX) : 1974	<10.0	100.0
10.	Ammonia (NH ₃)	µg/m ³	NIOSH Manual of Analytical Method, 4 th Edition 1994, Method 6015, issue 2	<4.18	400.0
11.	Nickel (Ni)	ng/m ³	EPA IO 3.2, 1999	<0.02	20.0
12.	Arsenic (As)	ng/m ³	EPA IO 3.2, 1999, APHA 23 rd Ed 3114C : 2017	<0.01	6.0

Remarks : Result shows that all parameters are within limit as per National Ambient Air Quality Standards Central Pollution Control Board Notification, New Delhi, the 18th November, 2009.
: Detection limit as per NABL Scope of Envirocheck for CO (<0.1), Pb (<0.01), BaP (<0.36), Benzene (<0.74), Ozone (<10.0), Ammonia (<4.18), Nickel (<0.02) and Arsenic (<0.01) are indicates that this parameters are Not Detected from Tested sample.

Reviewed By :

(Durbadal Chakraborty, Dy. Quality Manager)

Approved By :

(Dr. Ajoy Paul, Quality Manager)

H.O. : 63/B, Rastraguru Avenue, Kolkata - 700028 ■ Ph. 033 25792891 / 25497490 ■ Fax : 033 25299141
 Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata - 700028 ■ Ph. 033 25792889
 E-mail : envcheck@cal2.vsnl.net.in/envirocheck50@gmail.com ■ Website : www.envirocheck.org
 Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi
 Overseas : UAE ■ Qatar ■ Netherlands



ENVIROCHECK

Recognised by MoEF&CC, WBPCB, JSPCB & OSPCB
Accredited by NABL (ISO/IEC 17025:2017)
Certified by ISO 9001:2015, ISO 14001:2015 & OHSAS 18001:2007



TEST REPORT

FORMAT NO.: ENV/FM/37

Name of the Industry	: Himadri Speciality Chemical Ltd. (Mahistikry)	Type of Industry	: Chemical Plant
Address	: P.O. & P.S. – Haripal, Hooghly – 712323	Sampling Date	: 09.06.2020 – 10.06.2020
		Period of Analysis	: 11.06.2020 – 11.06.2020
		Date of Issue	: 13.06.2020
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No
		Type of Sample	: Ambient Air
Sample ID No.	: ENV/11/June/A/II	Report No.	: ENV/11/June/TR(A)/II/19-20

A] GENERAL INFORMATION

1. Location of Sampling : North Side of the Plant (At Village)
2. Duration of Sampling : 24 hrs. (08:30 a.m. – 08:30 a.m.)

B] METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 30.0
2. Average Relative Humidity (%) : 72.0
3. Smell or Odour : No Remarkable Smell
4. Weather Condition : Clear sky

C] RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS	LIMIT
1.	Concentration of PM _{2.5}	µg/m ³	USEPA 1997a, 40 CFR Part 50, Appendix L	42.91	60.0
2.	Concentration of PM ₁₀	µg/m ³	IS 5182 (PART 23) : 2006	73.10	100.0
3.	Concentration of SO ₂	µg/m ³	IS 5182 (Part 2) 2001 & ASTM D 2914-01 reapproved 2007: Sec. 11 (Vol. 11.07) : 2011	6.12	80.0
4.	Concentration of NO ₂	µg/m ³	IS 5182 (Part 6) 2006 & ASTM D 1607-91 reapproved 2005 : Sec. 11 (Vol. 11.07) : 2011	23.81	80.0
5.	Concentration of CO	mg/m ³	IS 5182 (Part 10): 1999 reaffirmed 2005 & ASTM D 3162-94 reapproved 2005 : Sec 11 (Vol. 11.07) : 2011	<0.1	2.0
6.	Concentration of Pb	µg/m ³	IS 5182 (Part 22) 2004	<0.01	1.0
7.	Benzo (a) Pyrene (BaP)	ng/m ³	IS 5182 (Part 12) : 2004 & ASTM D 6209-98 reapproved 2004 : Sec 11 (Vol. 11.07) : 2011	<0.36	1.0
8.	Benzene (C ₆ H ₆)	µg/m ³	IS 5182 (Part 11) 2006 & ASTM D 5466-01 reapproved 2007 : Sec 11 (Vol. 11.07) : 2011	<0.74	5.0
9.	Ozone (O ₃)	µg/m ³	IS 5182 (Part-IX) : 1974	<10.0	100.0
10.	Ammonia (NH ₃)	µg/m ³	NIOSH Manual of Analytical Method, 4 th Edition 1994, Method 6015, issue 2	<4.18	400.0
11.	Nickel (Ni)	ng/m ³	EPA IO 3.2, 1999	<0.02	20.0
12.	Arsenic (As)	ng/m ³	EPA IO 3.2, 1999, APHA 23 rd Ed 3114C : 2017	<0.01	6.0

Remarks : Result shows that all parameters are within limit as per National Ambient Air Quality Standards Central Pollution Control Board Notification, New Delhi, the 18th November, 2009.
: Detection limit as per NABL Scope of Envirocheck for CO (<0.1), Pb (<0.01), BaP (<0.36), Benzene (<0.74), Ozone (<10.0), Ammonia (<4.18), Nickel (<0.02) and Arsenic (<0.01) are indicates that this parameters are Not Detected from Tested sample.

Reviewed By :

(Durbadal Chakraborty, Dy. Quality Manager)

Approved By :

(Dr. Ajoy Paul, Quality Manager)

H.O. : 63/B, Rastraguru Avenue, Kolkata - 700028 ■ Ph. 033 25792891 / 25497490 ■ Fax : 033 25299141
Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata - 700028 ■ Ph. 033 25792889
E-mail : envcheck@cal2.vsnl.net.in/envirocheck50@gmail.com ■ Website : www.envirocheck.org
Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi
Overseas : UAE ■ Qatar ■ Netherlands



ENVIROCHECK

Recognised by MoEF&CC, WBPCB, JSPCB & OSPCB
Accredited by NABL (ISO/IEC 17025:2017)
Certified by ISO 9001:2015, ISO 14001:2015 & OHSAS 18001:2007



TEST REPORT

FORMAT NO.: ENV/FM/37

Name of the Industry	: Himadri Speciality Chemical Ltd. (Mahistikry)	Type of Industry	: Chemical Plant		
Address	: P.O. & P.S. – Haripal, Hooghly – 712323	Sampling Date	: 09.06.2020 – 10.06.2020		
		Period of Analysis	: 11.06.2020 – 11.06.2020		
		Date of Issue	: 13.06.2020		
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No	Type of Sample	: Ambient Air
Sample ID No.	: ENV/11/June/A/I	Report No.	: ENV/11/June/TR(A)/I/19-20		

A) GENERAL INFORMATION

1. Location of Sampling : East Side of the Plant (At Village Medical Centre)
2. Duration of Sampling : 24 hrs. (08:00 a.m. – 08:00 a.m.)

B) METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 30.0
2. Average Relative Humidity (%) : 72.0
3. Smell or Odour : No Remarkable Smell
4. Weather Condition : Clear sky

C) RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS	LIMIT
1.	Concentration of PM _{2.5}	µg/m ³	USEPA 1997a, 40 CFR Part 50, Appendix L	42.50	60.0
2.	Concentration of PM ₁₀	µg/m ³	IS 5182 (PART 23) : 2006	76.84	100.0
3.	Concentration of SO ₂	µg/m ³	IS 5182 (Part 2) 2001 & ASTM D 2914-01 reapproved 2007: Sec. 11 (Vol. 11.07) : 2011	5.90	80.0
4.	Concentration of NO ₂	µg/m ³	IS 5182 (Part 6) 2006 & ASTM D 1607-91 reapproved 2005 : Sec. 11 (Vol. 11.07) : 2011	20.02	80.0
5.	Concentration of CO	mg/m ³	IS 5182 (Part 10): 1999 reaffirmed 2005 & ASTM D 3162-94 reapproved 2005 : Sec. 11 (Vol. 11.07) : 2011	<0.1	2.0
6.	Concentration of Pb	µg/m ³	IS 5182 (Part 22) 2004	<0.01	1.0
7.	Benzo (a) Pyrene (BaP)	ng/m ³	IS 5182 (Part 12) : 2004 & ASTM D 6209-98 reapproved 2004 : Sec 11 (Vol. 11.07) : 2011	<0.36	1.0
8.	Benzene (C ₆ H ₆)	µg/m ³	IS 5182 (Part 11) 2006 & ASTM D 5466-01 reapproved 2007 : Sec 11 (Vol. 11.07) : 2011	<0.74	5.0
9.	Ozone (O ₃)	µg/m ³	IS 5182 (Part-IX) : 1974	<10.0	100.0
10.	Ammonia (NH ₃)	µg/m ³	NIOSH Manual of Analytical Method, 4 th Edition 1994, Method 6015, issue 2	<4.18	400.0
11.	Nickel (Ni)	ng/m ³	EPA IO 3.2, 1999	<0.02	20.0
12.	Arsenic (As)	ng/m ³	EPA IO 3.2, 1999, APHA 23 rd Ed 3114C : 2017	<0.01	6.0

Remarks : Result shows that all parameters are within limit as per National Ambient Air Quality Standards Central Pollution Control Board Notification, New Delhi, the 18th November, 2009.
: Detection limit as per NABL Scope of Envirocheck for CO (<0.1), Pb (<0.01), BaP (<0.36), Benzene (<0.74), Ozone (<10.0), Ammonia (<4.18), Nickel (<0.02) and Arsenic (<0.01) are indicates that this parameters are Not Detected from Tested sample.

Reviewed By :

(Durbadal Chakraborty, Dy. Quality Manager)

Approved By :

(Dr. Ajoy Paul, Quality Manager)

H.O. : 63/B, Rastraguru Avenue, Kolkata - 700028 ■ Ph. 033 25792891 / 25497490 ■ Fax : 033 25299141
 Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata - 700028 ■ Ph. 033 25792889
 E-mail : envcheck@cal2.vsnl.net.in/envirocheck50@gmail.com ■ Website : www.envirocheck.org
 Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi
 Overseas : UAE ■ Qatar ■ Netherlands