



# ENVIROCHECK

Recognised by MoEF&CC, WBPCB, JSPCB & OSPCB  
Accredited by NABL (ISO/IEC 17025:2017)  
Certified by ISO 9001:2015, ISO 14001:2015 & OHSAS 18001:2007



## TEST REPORT

FORMAT NO.: ENV/FM/37

Name of the Industry	: Himadri Speciality Chemical Ltd. (Mahistikry)	Type of Industry	: Chemical Plant		
Address	: P.O. & P.S. – Haripal, Hooghly – 712323	Sampling Date	: 15.09.2020 – 16.09.2020		
		Period of Analysis	: 16.09.2020 – 18.09.2020		
		Date of Issue	: 19.09.2020		
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No	Type of Sample	: Ambient Air
Sample ID No.	: ENV/23/Sep./A/I	Report No.	: ENV/23/Sep./TR(A)/1/20-21		

### A] GENERAL INFORMATION

1. Location of Sampling : West Side of the Plant (Near Road Side)
2. Duration of Sampling : 24 hrs. (09:00 a.m. – 09:00 a.m.)

### B] METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 32.0
2. Average Relative Humidity (%) : 71.0
3. Smell or Odour : No Remarkable Smell
4. Weather Condition : Clear sky

### C] RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS	LIMIT
1.	Concentration of PM <sub>2.5</sub>	µg/m <sup>3</sup>	USEPA 1997a, 40 CFR Part 50, Appendix L	54.65	60.0
2.	Concentration of PM <sub>10</sub>	µg/m <sup>3</sup>	IS 5182 (PART 23) : 2006	93.10	100.0
3.	Concentration of SO <sub>2</sub>	µg/m <sup>3</sup>	IS 5182 (Part 2) 2001 & ASTM D 2914-01 reapproved 2007: Sec. 11 (Vol. 11.07) : 2011	9.21	80.0
4.	Concentration of NO <sub>2</sub>	µg/m <sup>3</sup>	IS 5182 (Part 6) 2006 & ASTM D 1607-91 reapproved 2005 : Sec. 11 (Vol. 11.07) : 2011	26.50	80.0
5.	Concentration of CO	mg/m <sup>3</sup>	IS 5182 (Part 10): 1999 reaffirmed 2005 & ASTM D 3162-94 reapproved 2005 : Sec 11 (Vol. 11.07) : 2011	0.26	2.0
6.	Concentration of Pb	µg/m <sup>3</sup>	IS 5182 (Part 22) 2004	<0.01	1.0
7.	Benzo (a) Pyrene (BaP)	ng/m <sup>3</sup>	IS 5182 (Part 12) : 2004 & ASTM D 6209-98 reapproved 2004 : Sec 11 (Vol. 11.07) : 2011	<0.36	1.0
8.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	IS 5182 (Part 11) 2006 & ASTM D 5466-01 reapproved 2007 : Sec 11 (Vol. 11.07) : 2011	<0.74	5.0
9.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	IS 5182 (Part-IX) : 1974	<10.0	100.0
10.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	NIOSH Manual of Analytical Method, 4 <sup>th</sup> Edition 1994, Method 6015, issue 2	<4.18	400.0
11.	Nickel (Ni)	ng/m <sup>3</sup>	EPA IO 3.2, 1999	<0.02	20.0
12.	Arsenic (As)	ng/m <sup>3</sup>	EPA IO 3.2, 1999, APHA 23 <sup>rd</sup> Ed 3114C : 2017	<0.01	6.0

Remarks : Result shows that all parameters are within limit as per National Ambient Air Quality Standards Central Pollution Control Board Notification, New Delhi, the 18<sup>th</sup> November, 2009.  
: Detection limit as per NABL Scope of Envirocheck for Pb (<0.01), BaP (<0.36), Benzene (<0.74), Ozone (<10.0), Ammonia (<4.18), Nickel (<0.02) and Arsenic (<0.01) are indicates that this parameters are Not Detected from Tested sample.

Reviewed By :

(Durbadal Chakraborty)  
(Dy. Quality Manager)

Approved By :

(Dr. Ajoy Paul)  
(Quality Manager)

H.O. : 63/B, Rastraguru Avenue, Kolkata - 700028 ■ Ph. 033 25792891 / 25497490 ■ Fax : 033 25299141  
 Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata - 700028 ■ Ph. 033 25792889  
 E-mail : envcheck@cal2.vsnl.net.in/envirocheck50@gmail.com ■ Website : www.envirocheck.org  
 Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi  
 Overseas : UAE ■ Qatar ■ Netherlands



# ENVIROCHECK

Recognised by MoEF&CC, WBPCB, JSPCB & OSPCB  
 Accredited by NABL (ISO/IEC 17025:2017)  
 Certified by ISO 9001:2015, ISO 14001:2015 & OHSAS 18001:2007



## TEST REPORT

FORMAT NO : ENV/FM/37

Name of the Industry	: Himadri Speciality Chemical Ltd. (Mahistikry)	Type of Industry	: Chemical Plant
Address	: P.O. & P.S. - Haripal, Hooghly - 712323	Sampling Date	: 15.09.2020 - 16.09.2020
		Period of Analysis	: 16.09.2020 - 18.09.2020
		Date of Issue	: 19.09.2020
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No
Sample ID No.	: ENV/23/Sep./A/II	Report No.	: ENV/23/Sep./TR(A)/II/20-21

### A] GENERAL INFORMATION

1. Location of Sampling : South Side of Plant (Village Road Side)
2. Duration of Sampling : 24 hrs. (09:30 a.m. - 09:30 a.m.)

### B] METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 32.0
2. Average Relative Humidity (%) : 71.0
3. Smell or Odour : No Remarkable Smell
4. Weather Condition : Clear sky

### C] RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS	LIMIT
1.	Concentration of PM <sub>2.5</sub>	µg/m <sup>3</sup>	USEPA 1997a, 40 CFR Part 50, Appendix L	51.0	60.0
2.	Concentration of PM <sub>10</sub>	µg/m <sup>3</sup>	IS 5182 (PART 23) : 2006	86.48	100.0
3.	Concentration of SO <sub>2</sub>	µg/m <sup>3</sup>	IS 5182 (Part 2) 2001 & ASTM D 2914-01 reapproved 2007: Sec. 11 (Vol. 11.07) : 2011	7.75	80.0
4.	Concentration of NO <sub>2</sub>	µg/m <sup>3</sup>	IS 5182 (Part 6) 2006 & ASTM D 1607-91 reapproved 2005 : Sec. 11 (Vol. 11.07) : 2011	25.95	80.0
5.	Concentration of CO	mg/m <sup>3</sup>	IS 5182 (Part 10): 1999 reaffirmed 2005 & ASTM D 3162-94 reapproved 2005 : Sec 11 (Vol. 11.07) : 2011	0.18	2.0
6.	Concentration of Pb	µg/m <sup>3</sup>	IS 5182 (Part 22) 2004	<0.01	1.0
7.	Benzo (a) Pyrene (BaP)	ng/m <sup>3</sup>	IS 5182 (Part 12) : 2004 & ASTM D 6209-98 reapproved 2004 : Sec 11 (Vol. 11.07) : 2011	<0.36	1.0
8.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	IS 5182 (Part 11) 2006 & ASTM D 5466-01 reapproved 2007 : Sec 11 (Vol. 11.07) : 2011	<0.74	5.0
9.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	IS 5182 (Part-IX) : 1974	<10.0	100.0
10.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	NIOSH Manual of Analytical Method, 4 <sup>th</sup> Edition 1994, Method 6015, issue 2	<4.18	400.0
11.	Nickel (Ni)	ng/m <sup>3</sup>	EPA IO 3.2, 1999	<0.02	20.0
12.	Arsenic (As)	ng/m <sup>3</sup>	EPA IO 3.2, 1999, APHA 23 <sup>rd</sup> Ed 3114C : 2017	<0.01	6.0

Remarks : Result shows that all parameters are within limit as per National Ambient Air Quality Standards Central Pollution Control Board Notification, New Delhi, the 18<sup>th</sup> November, 2009.  
 : Detection limit as per NABL Scope of Envirocheck for Pb (<0.01), BaP (<0.36), Benzene (<0.74), Ozone (<10.0), Ammonia (<4.18), Nickel (<0.02) and Arsenic (<0.01) are indicates that this parameters are Not Detected from Tested sample.

Reviewed By :

(Durbadal Chakraborty)  
(Dy. Quality Manager)

Approved By :

(Dr. Ajoy Paul)  
(Quality Manager)

H.O. : 63/B, Rastraguru Avenue, Kolkata - 700028 ■ Ph. 033 25792891 / 25497490 ■ Fax : 033 25299141  
 Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata - 700028 ■ Ph. 033 25792889  
 E-mail : envcheck@cal2.vsnl.net.in/envirocheck50@gmail.com ■ Website : www.envirocheck.org  
 Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi  
 Overseas : UAE ■ Qatar ■ Netherlands





# ENVIROCHECK

Recognised by MoEF&CC, WBPCB, JSPCB & OSPCB  
Accredited by NABL (ISO/IEC 17025:2017)  
Certified by ISO 9001:2015, ISO 14001:2015 & OHSAS 18001:2007



## TEST REPORT

FORMAT NO.: ENV/FM/37

Name of the Industry	: Himadri Speciality Chemical Ltd. (Mahistikry)	Type of Industry	: Chemical Plant		
Address	: P.O. & P.S. – Haripal, Hooghly – 712323	Sampling Date	: 15.09.2020 – 16.09.2020		
		Period of Analysis	: 16.09.2020 – 18.09.2020		
		Date of Issue	: 19.09.2020		
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No	Type of Sample	: Ambient Air
Sample ID No.	: ENV/23/Sep./A/III	Report No.	: ENV/23/Sep./TR(A)/III/20-21		

### A] GENERAL INFORMATION

1. Location of Sampling : North Side of Plant (At Village)
2. Duration of Sampling : 24 hrs. (10:0 a.m. – 10:00 a.m.)

### B] METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 32.0
2. Average Relative Humidity (%) : 71.0
3. Smell or Odour : No Remarkable Smell
4. Weather Condition : Clear sky

### C] RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS	LIMIT
1.	Concentration of PM <sub>2.5</sub>	µg/m <sup>3</sup>	USEPA 1997a, 40 CFR Part 50, Appendix L	49.31	60.0
2.	Concentration of PM <sub>10</sub>	µg/m <sup>3</sup>	IS 5182 (PART 23) : 2006	81.78	100.0
3.	Concentration of SO <sub>2</sub>	µg/m <sup>3</sup>	IS 5182 (Part 2) 2001 & ASTM D 2914-01 reapproved 2007: Sec. 11 (Vol. 11.07) : 2011	6.91	80.0
4.	Concentration of NO <sub>2</sub>	µg/m <sup>3</sup>	IS 5182 (Part 6) 2006 & ASTM D 1607-91 reapproved 2005 : Sec. 11 (Vol. 11.07) : 2011	23.76	80.0
5.	Concentration of CO	mg/m <sup>3</sup>	IS 5182 (Part 10): 1999 reaffirmed 2005 & ASTM D 3162-94 reapproved 2005 : Sec 11 (Vol. 11.07) : 2011	0.15	2.0
6.	Concentration of Pb	µg/m <sup>3</sup>	IS 5182 (Part 22) 2004	<0.01	1.0
7.	Benzo (a) Pyrene (BaP)	ng/m <sup>3</sup>	IS 5182 (Part 12) : 2004 & ASTM D 6209-98 reapproved 2004 : Sec 11 (Vol. 11.07) : 2011	<0.36	1.0
8.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	IS 5182 (Part 11) 2006 & ASTM D 5466-01 reapproved 2007 : Sec 11 (Vol. 11.07) : 2011	<0.74	5.0
9.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	IS 5182 (Part-IX) : 1974	<10.0	100.0
10.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	NIOSH Manual of Analytical Method, 4 <sup>th</sup> Edition 1994, Method 6015, issue 2	<4.18	400.0
11.	Nickel (Ni)	ng/m <sup>3</sup>	EPA IO 3.2, 1999	<0.02	20.0
12.	Arsenic (As)	ng/m <sup>3</sup>	EPA IO 3.2, 1999, APHA 23 <sup>rd</sup> Ed 3114C : 2017	<0.01	6.0

Remarks : Result shows that all parameters are within limit as per National Ambient Air Quality Standards Central Pollution Control Board Notification, New Delhi, the 18<sup>th</sup> November, 2009.  
: Detection limit as per NABL Scope of Envirocheck for Pb (<0.01), BaP (<0.36), Benzene (<0.74), Ozone (<10.0), Ammonia (<4.18), Nickel (<0.02) and Arsenic (<0.01) are indicates that this parameters are Not Detected from Tested sample.

Reviewed By :

(Durbadal Chakraborty)  
(Dy. Quality Manager)

Approved By :

(Dr. Ajoy Paul)  
(Quality Manager)

H.O. : 63/B, Rastraguru Avenue, Kolkata - 700028 ■ Ph. 033 25792891 / 25497490 ■ Fax : 033 25299141  
Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata - 700028 ■ Ph. 033 25792889  
E-mail : envcheck@cal2.vsnl.net.in/envirocheck50@gmail.com ■ Website : www.envirocheck.org  
Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi  
Overseas : UAE ■ Qatar ■ Netherlands



# ENVIROCHECK

Recognised by MoEF&CC, WBPCB, JSPCB & OSPCB  
Accredited by NABL (ISO/IEC 17025:2017)  
Certified by ISO 9001:2015, ISO 14001:2015 & OHSAS 18001:2007



## TEST REPORT

FORMAT NO.: ENV/FM/37

Name of the Industry	: Himadri Speciality Chemical Ltd. (Mahistikry)	Type of Industry	: Chemical Plant		
Address	: P.O. & P.S. – Haripal, Hooghly – 712323	Sampling Date	: 15.09.2020 – 16.09.2020		
		Period of Analysis	: 16.09.2020 – 18.09.2020		
		Date of Issue	: 19.09.2020		
Sampling Plan & Procedure	: ENV/SOP/01	Deviation from the Sampling Method and Plan	: No	Type of Sample	: Ambient Air
Sample ID No.	: ENV/23/Sep./A/IV	Report No.	: ENV/23/Sep./TR(A)/IV/20-21		

### A] GENERAL INFORMATION

1. Location of Sampling : East Side of Plant (Near Medical Centre)
2. Duration of Sampling : 24 hrs. (10:30 a.m. – 10:30 a.m.)

### B] METEOROLOGICAL INFORMATION

1. Average Temperature (°C) : 32.0
2. Average Relative Humidity (%) : 71.0
3. Smell or Odour : No Remarkable Smell
4. Weather Condition : Clear sky

### C] RESULTS

SL. NO.	PARAMETERS	UNIT	METHOD NO.	RESULTS	LIMIT
1.	Concentration of PM <sub>2.5</sub>	µg/m <sup>3</sup>	USEPA 1997a, 40 CFR Part 50, Appendix L	50.06	60.0
2.	Concentration of PM <sub>10</sub>	µg/m <sup>3</sup>	IS 5182 (PART 23) : 2006	82.65	100.0
3.	Concentration of SO <sub>2</sub>	µg/m <sup>3</sup>	IS 5182 (Part 2) 2001 & ASTM D 2914-01 reapproved 2007: Sec. 11 (Vol. 11.07) : 2011	6.70	80.0
4.	Concentration of NO <sub>2</sub>	µg/m <sup>3</sup>	IS 5182 (Part 6) 2006 & ASTM D 1607-91 reapproved 2005 : Sec. 11 (Vol. 11.07) : 2011	25.01	80.0
5.	Concentration of CO	mg/m <sup>3</sup>	IS 5182 (Part 10): 1999 reaffirmed 2005 & ASTM D 3162-94 reapproved 2005 : Sec 11 (Vol. 11.07) : 2011	0.14	2.0
6.	Concentration of Pb	µg/m <sup>3</sup>	IS 5182 (Part 22) 2004	<0.01	1.0
7.	Benzo (a) Pyrene (BaP)	ng/m <sup>3</sup>	IS 5182 (Part 12) : 2004 & ASTM D 6209-98 reapproved 2004 : Sec 11 (Vol. 11.07) : 2011	<0.36	1.0
8.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	IS 5182 (Part 11) 2006 & ASTM D 5466-01 reapproved 2007 : Sec 11 (Vol. 11.07) : 2011	<0.74	5.0
9.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	IS 5182 (Part-IX) : 1974	<10.0	100.0
10.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	NIOSH Manual of Analytical Method, 4 <sup>th</sup> Edition 1994, Method 6015, issue 2	<4.18	400.0
11.	Nickel (Ni)	ng/m <sup>3</sup>	EPA IO 3.2, 1999	<0.02	20.0
12.	Arsenic (As)	ng/m <sup>3</sup>	EPA IO 3.2, 1999, APHA 23 <sup>rd</sup> Ed 3114C : 2017	<0.01	6.0

Remarks : Result shows that all parameters are within limit as per National Ambient Air Quality Standards Central Pollution Control Board Notification, New Delhi, the 18<sup>th</sup> November, 2009.  
: Detection limit as per NABL Scope of Envirocheck for Pb (<0.01), BaP (<0.36), Benzene (<0.74), Ozone (<10.0), Ammonia (<4.18), Nickel (<0.02) and Arsenic (<0.01) are indicates that this parameters are Not Detected from Tested sample.

Reviewed By :

(Durbadal Chakraborty)  
(Dy. Quality Manager)

Approved By :

(Dr. Ajoy Paul)  
(Quality Manager)

H.O. : 63/B, Rastraguru Avenue, Kolkata - 700028 ■ Ph. 033 25792891 / 25497490 ■ Fax : 033 25299141  
 Laboratory : 189, 190 & 192, Rastraguru Avenue, Kolkata - 700028 ■ Ph. 033 25792889  
 E-mail : envirocheck@cal2.vsnl.net.in/envirocheck50@gmail.com ■ Website : www.envirocheck.org  
 Branch Office : Siliguri ■ Haldia ■ Durgapur ■ Dhanbad ■ Gangtok ■ Port Blair ■ Dehradun ■ New Delhi  
 Overseas : UAE ■ Qatar ■ Netherlands